

Metso:Outotec


Wear lining solutions
for any need

Keep material flow up
and maintenance down



Wear linings protect your assets

Installed in chutes, spouts, hoppers, transfer points and other applications subjected to wear, wear linings protect the assets and provide sufficient wear and chemical resistance to keep maintenance down and material flow up. When used in the correct application, long-lasting and robust wear linings make a substantial difference in improving process flow, machine uptime and safety.



1 | Loading and hauling

- Truck body
- Truck liners

2 | Crushing

- Feed chute liners
- Mainframe liners
- Vault liners

3 | Grinding

- Mill feed chute liners
- Rubber backing
- Discharge chute liners

4 | Classification

- Screen feed box liners
- Screen feed chute liners
- Undersize chute liners
- Oversize chute liners

5 | Conveying

- Transfer chutes and liners
- Skirting

6 | Flotation

- Magnetic separator liners
- Flotation tank liners

7 | Bulk material handling

- Feeder chutes and liners
- Stacker and reclaimer chutes and liners
- Transfer chutes and liners
- Bins and liners
- Tub and liners

8 | Other

- Mobile equipment liners
- Concrete mixer liners
- Debarking drum liners
- Scrubber/washing drum liners
- Balling drum/pelletizing drum liners

Mining and aggregates sites process rocks and other abrasive ore that wear out equipment and parts.

Wear linings are protective materials installed in areas subjected to wear.

Increased uptime



Maximized throughput



Improved health and safety



Reaching your targets

Our customers strive to increase uptime, maximize throughput, reduce costs and improve safety while also managing sustainable business operations.

This can be challenging since mining and aggregate production is tough on equipment — and that can make it even tougher on budgets. Plenty of maintenance is often required and working conditions can sometimes be risky.


Protecting the equipment from wear is essential to avoid machine failure and expensive stops.

The right solution for you

Working with us means you get access to the market's widest range of optimized wear protection solutions, tools and services to minimize wear and improve safety while also maximizing productivity and profit.

		Rubber	Metallic	Ceramic	Polyurethane	Polyethylene
#1	Wear linings	Trellex® wear plates	•		•	•
		Microledge	•			
		Trellex® SQ300	•	•	•	
		Trellex® Poly-Cer		•		
		Xalloy™	•			
		Gridlock™	•			
		Xlok™	•	•	•	
		Rockbox	•			
		Xledge™	•			
		Sheeting	•		•	
#2	Complete solutions	Xresist™ epoxy system			•	
		EzyLock™, Taper-T™, D-Lock™ and RemLock™		•	•	
		Chutes				
		Bins				
		Tubs				
		Conveyor skirting system				
#3	Services and tools	Cyclone underflow boxes				
		Impact plates				
#3	Services and tools	Lifting and cutting tools				
		Value-added services				

#1




Optimized wear linings of all types and materials

Rubber, metallic, ceramic, polyurethane and polyethylene all have their strengths. In an optimal operation, each material is used where it performs the best.

By having all options available to choose from, we can select the ideal material for your operating conditions. Sometimes the best results can be achieved by combining several materials in the same application.

Materials




RU

Rubber
Light-weight with unique wear, noise and vibration properties.



M

Metallic
Excellent wear protection, wide range of alloy options.



C

Ceramic
Extremely tough with outstanding wear life properties.



PU

Polyurethane
Abrasion- and impact-resistant material.



PE

Polyethylene
Minimizes surface friction and prevents material sticking.

50%

less liner
replacements

Wear linings


Our comprehensive portfolio in combination with deep technical knowledge means we can offer exactly the right solution to help you reach your targets.

Trellex® wear plates

Our wear plates minimize wear and reduce noise while increasing service life. The offering includes a wide range of products designed to best support customers' needs in keeping the total cost per ton down.



With hot-vulcanized steel reinforcement




Cast-in steel reinforcement



With hot-vulcanized aluminum fixing profiles




With molded holes for fixing



Serrated wear rubber



With hot-vulcanized aluminum fixing profile



With an embedded steel reinforcement




Ultra-high-molecular-weight polyethylene

Wear linings


Microledge

Rubber curtains designed to fit all types of chutes and hoppers processing wet fines. Self-cleaning properties significantly reduce the build-up of fines and sticky materials that cause blockages.



Trellex® SQ300

Fully recyclable and light weight, the SQ300 modular system provides excellent protection and fast change-outs in many applications, keeping material flow up and maintenance down.



Trellex® Poly-Cer

Hard ceramic surfaces provide unsurpassable wear resistance while the elasticity of the rubber absorbs the impact of blows. Excellent wear resistance in applications with sliding wear and high material speeds.



Xalloy™

A range of abrasion and impact resistant metallic alloy wear lining plates.



Rockbox

Liner design effectively captures fine material that acts as a protective layer. Rock-on-rock wear results in very little wear on the lining itself.



Gridlock™

Anti-wash liner system designed to eliminate joint wash generated by using square liners. Available in horizontal, vertical and double-sided designs in a wide range of sizes and materials.




Sheetings and coatings

Protect your assets and reduce the risk of breakdowns.

Xledge™

Specialized range of ledge liners used on Wearback™ chutes to protect the parent metal. Consists of few parts and easy-to-handle small liners. The low weight lining provides excellent abrasion and impact resistance.




Trellex® sheeting

Good operating economy and reduced risk of breakdowns. Long wear life means more uptime and safer operations. Available in different hardnesses.



Xlok™

Liner with a backing plate made of mild steel. The steel is welded onto the application and liners are changed from the inside through a mechanical bolt lock. For areas difficult to access. No gap needed to place the liner.



Xresist™

Ceramic wear-resistant coating made from premium components to protect your machinery against friction caused in surfaces subject to high abrasion.



**A lot to choose from?
No worries, we can suggest the ideal
solution for your ore and process.**

Some products are only available in selected markets.



Attachment systems

Our unique fasteners eliminate the need for traditional studs and nuts and dramatically improve safety and uptime.




Type and application	Description	Benefits	
	<p>EzyLock™ Single-sided fastener (wear side). Perfect for areas difficult to access. For metallic liners.</p>	<ul style="list-style-type: none"> • High strength, tapered bolt head, plate hole, flush wear surface • Unique locking mechanism • Can be installed through existing round holes in the wall 	<ul style="list-style-type: none"> • No nuts, fewer bolts • No hot works • No external scaffold • Can use larger/fewer plates • Maintains clamping force throughout liner wear cycle • Safer/faster
	<p>Taper-T™ Single-sided fastener (wear side). Perfect for areas difficult to access. For metallic and ceramic liners.</p>	<ul style="list-style-type: none"> • High strength, tapered bolt head, plate hole, flush wear surface • Unique locking mechanism • Installed with conventional tooling • Enables the use of Taper-T™ sensors 	<ul style="list-style-type: none"> • No nuts, fewer bolts • No hot works • No external scaffold • Can use larger/fewer plates • Maintains clamping force throughout liner wear cycle • Safer, further reduces downtime
	<p>D-Lock™ Double-sided fastener. For up to 50-mm-thick metallic plate liners and 100-mm-thick cast liners.</p>	<ul style="list-style-type: none"> • Direct replacement for studs, kidney bolts or conventional bolting system • Enables the use of SafeFit™ handling system • Does not require a tool to be used on the wear side when tightening the nut 	<ul style="list-style-type: none"> • Fewer bolts, no over-torqued studs • No hot works (with RemLock™) • Can use harder/thicker materials • Maintains clamping force throughout liner wear cycle • Safer/faster (with RemLock™)
	<p>RemLock™ A unique nut that replaces traditional nuts. Fits all existing studs and bolting systems.</p>	<ul style="list-style-type: none"> • Separately removable nylon locking feature allows thread locking and easy nut removal • Nylon cap ensures thread corrosion protection • Installed with standard tools in the same way as traditional nuts 	<ul style="list-style-type: none"> • No hot works/oxy cutting of corroded bolts/nuts • Safer/faster

Wear monitoring system

WearSense™ monitors wear in real time and tells you when to change the liners. It can be fitted to any metallic or ceramic liners independent of attachment systems.

Up to
50%
less maintenance
downtime






Sensors



Gateway



Analytics

Reduces maintenance downtime

Provides real-time forecast of wear and expected liner change-out timing. Gives detailed information on problem areas that could cause shutdown delays or breakdowns. Enables accurate planning of shutdowns for wear liner maintenance.

Reduces inventory costs

Enables accurate ordering of wear liners required for each liner maintenance shutdowns.

Reduces labor costs

Enables more accurate planning of wear liner maintenance shutdown labor. Reduces labor costs for interim shutdowns to perform wear plate inspections.

Improves safety

Reduces time exposure in confined space, hot works or working at heights.




A complete chute, bin or transfer point solution

Sometimes choosing an improved wear lining option is not enough. To get the maximum benefit for your process, a complete chute, bin or tub replacement could be required.

Metso Outotec designs, manufactures and installs not only wear linings but also a wide range of chutes, bins, tubs and other bulk material handling structures. The solution comes with optimized wear linings.

Our chutes, bins and tubs are designed to address challenges such as:

- Safety issues
- Material flow
- Spillage
- Excessive wear
- Conveyor belt wear




Structures

The structures and the wear lining are designed together in a seamless process. Our long experience combined with Discrete Element Method (DEM) simulations makes it possible for us to compare and validate different options. You can be confident that the selected solution is the right one.




Transfer chutes



Bins



Chutes



Tubs

#3




Value-added services and tools

By choosing Metso Outotec wear lining solutions, you get much more than parts.

Combining the right parts with optimized installation methods, tools and services makes all the difference in your results and the safety of your people.

DEM simulations

Our simulation software allows us to predict the performance of the customized solution extremely accurately, which ensures that we deliver the gains we promise.



Pre-study/audit*	 Our thorough pre-study sets the groundwork for optimization and ensures that the proposed solution is the best match for your ore and process.
Customized design/ selection*	 Our wide portfolio, long experience and unique simulation software allow us to select the ideal solution for you.
Installation supervision and complete installations*	 Our experienced engineers oversee and guide you on how to safely and quickly install parts — or can do the full installation for you using efficient installation methods and following the most stringent safety standards.
Wear and performance monitoring*	 One of the surest ways to ensure you have exactly the right parts when you need them is to closely follow the wear rate. This can be done manually, with the more advanced 3D scanning or by using our real-time monitoring system.
Design and material optimization*	 The more we learn about your process and closely follow the wear rates, the better we can support you. We constantly do material and design improvements to optimize your solution.
Technical support*	 Buying from us gives you access to the unmatched experience and knowledge of our local teams as well as our global experts.
Development meetings and collaborative R&D	 Regular meetings with Metso's experts ensure that development stays on track. We review the results and findings together, identify issues, as well as set new development and performance targets. We also do joint R&D projects with our customers.
Customer training	 To stay ahead of the game, it is important to keep up to date on the latest technologies and understand how to best utilize your equipment. We offer customer training.
Lifting tools	 Working with Metso, you get access to lifting tools that ensure safe and fast installations as well as tools to safely cut rubber sheeting.
Financing solutions	 We have a wide range of financing solutions available for you, including consignment stock, leasing and other payment options.
Environmental initiatives	 Sustainable operations, suppliers and solutions, recycling take-back programs.

* Part of Metso Outotec's process of optimization, the complete life cycle from site audit to monitor and improvement.


 Always included

 Optional and/or can be included in long-term contracts

Some options are only available in selected markets.

The next level of performance

Wear linings and structures




- Metallic
- Rubber
- Ceramic
- Polyurethane
- Polyethylen



Attachment systems




- Single-sided
- Double-sided
- Nuts




Tools




- Lifting tools
- Attachment tools
- Cutting tools



By working closely together and by combining the knowledge you have of your process with our optimized wear liners and unique services and tools, we can take your wear protection to the next level.





Metso Outotec's process of optimization

Your process changes and we change along with it

Change is the only constant. For us, continuous optimization means working closely with you, truly understanding your process and making improvements accordingly.

The process of optimization is at the heart of how we do business and operate. Not only do we perform a thorough **AUDIT** and **REVIEW** of your operation, we also carefully simulate and **COMPARE** different options to ensure the solution selected is the right one.

Excellent results can often be achieved by combining materials – such as metals, rubber, polyurethane and ceramics – and taking full advantage of the best features of each.

Our products are **PRODUCED** using state-of-the-art technology and quickly installed using safe tools and methods. And when the parts are in operation, we **MONITOR** closely and make improvements if needed. This way we get better each time, making it possible for you to maximize plant efficiency, minimize downtime and ensure measurable cost savings.

With Metso Outotec, you don't just get wear parts, you get continuous performance **IMPROVEMENT**.

Reaching your targets

We help you to achieve your strategic objectives by finding solutions that increase the efficiency of your operation.

How does our solution improve safety?

- Increased uptime means fewer hours of risky maintenance
- Light-weight products and easy change-outs mean safer and shorter maintenance stops
- Minimized manual handling
- Fewer hot work situations and less exposure to confined spaces

How does our solution maximize throughput?

- Long-lasting and reliable solutions keep materials flowing
- Optimized change-outs means more production

How does our solution increase uptime?

- Long wear life means fewer stops
- Faster installations using our tools, fasteners and installation methods
- Liner design optimized for quick installation and removal

How does our solution reduce costs?

- Reduced downtime
- Improved wear material utilization
- Lower operational cost per ton

By selecting a responsible partner and optimized wear linings, you not only get more out of your process, you also take part in creating a more sustainable future.

Metso is committed to delivering solutions that are more sustainable, efficient and safer for the environment and people



How we deliver results:

Our wear lining solutions are designed with one thing in mind – to maximize the availability and productivity of your equipment, while reducing your costs for service and maintenance.



 The market's most complete wear lining offering means we can select exactly the right material and design for your operating conditions

 Ability to not only optimize the wear lining, but to also design and offer complete chutes, bins and other transfer points

 Continued optimization delivers the best performance – even as the process parameters change

 A unique range of fasteners and tools designed for safe and fast replacements

 Access to experienced resources and value-added services

You set the performance target. Our job is to exceed it.

Case: Newcrest Cadia East, Australia

Maximized plant availability during maintenance shutdown

Challenge

Design and deliver eleven transfer chutes for the Cadia East project to provide exceptional performance and deliver the results expected by a world's best-practice mining operation.


Solution

- Metso Outotec designed custom transfer chutes with the chute as a focus and the transfer station designed to suit
- The chutes were fully rotatable with only two chute sections to remove and replace
- Wearback™ design creates rock-on-rock wear to minimize chute wear and maximize ore control

Results

- Improved uptime — the sections were replaced during a 10-12 hour outage, most chutes changed within 6 hours
- Increased throughput — from 850,000 to 6,000,000 tonnes between maintenance
- Increased safety — custom cradles allowed maintenance to be completed outside of shutdown periods





Metso Wearback™ transfer chutes help maximize plant availability and reduce workloads during maintenance shutdowns.

Wearback™ features

- Control ore flow — speed and direction
- Protects both the chute and the belt
- Centralized belt loading
- Reduced skirt wear
- Reduced operating noise
- Increased liner performance
- Reduced liner mass
- Rotatable chute upgrades
- Xledge™ liner design to maximize utilization
- Minimized liner stock holdings

Together, towards continuous improvements.

Metso Outotec is the market's most comprehensive supplier of wear linings. Allow us to review your process and identify areas of potential improvement. Together, we will find a solution to keep your equipment well protected.

Contact us to find out more about how we can help you increase your profitability: metso.com/WearLining